



Title

Subtitle

Author


Università degli studi di Siena

January 1, 2022

Overview

- 1 Section
 - Subsection
- 2 Another section
 - Subsection with math
- 3 Section without frame
 - Subsection with table
 - Subsection with minipages

Overview

- 
- 1 Section
 - Subsection
 - 2 Another section
 - 3 Section without frame

Section

This is some text in the first frame. This is some text in the first frame. This is some text in the first frame.

Subsection

- ▶ Justified text item with reference Goodfellow et al. (2014)
- ▶ This is some unjustified text in the frame. This is some unjustified text in the frame. This is some unjustified text in the frame. This is some unjustified text in the frame. This is some unjustified text in the frame.




Figure 1: GAN structure

Overview

① Section

② Another section

- Subsection with math

③ Section without frame

Another section

This is some text in the first frame. This is some text in the first frame. This is some text in the first frame.

Subsection with math

This is some text in the first frame. This is some text in the first frame. This is some text in the first frame.

- ▶ This is some text in the first frame. This is some text in the first frame. This is some text in the first frame.
- ▶ Example formula:

$$d^2 = \|\mu_1 - \mu_2\|^2 + \text{Tr}(C_1 + C_2 - 2\sqrt{C_1 * C_2})$$

Overview

① Section

② Another section

③ Section without frame

- Subsection with table
- Subsection with minipages

Subsection with table

Table 1: default

Dataset	No. Classes	Image Size	No.Images S_t	No.Images S_v
MNIST	10	28×28	60k	10k
CIFAR10	10	32×32	50k	10k
CIFAR100	100	32×32	50k	10k
ImageNet1k	1000	$64 \times 64 / 128 \times 128$	1.3M	50k

Subsection with minipages

model	IS	FID-5K	FID	GAN-train	GAN-test	SWD 16	SWD 32
real images	11.33	9.4	2.1	92.8	-	2.8	2.0
SNGAN	8.43	18.8	11.8	82.2	87.3	3.9	24.4
WGAN-GP (10M)	8.21	21.5	14.1	79.5	85.0	3.8	6.2
WGAN-GP (2.5M)	8.29	22.1	15.0	76.1	80.7	3.4	6.9
DCGAN	6.69	42.5	35.6	65.0	58.2	6.5	24.7
PixelCNN++	5.36	121.3	119.5	34.0	47.1	14.9	56.6

Figure 2: Results on CIFAR10

model	IS	FID-5K	FID	GAN-train	GAN-test	SWD 16	SWD 32
real images	14.9	10.8	2.4	69.4	-	2.7	2.0
SNGAN	9.30	23.8	15.6	45.0	59.4	4.0	15.6
WGAN-GP (10M)	9.10	23.5	15.6	26.7	40.4	6.0	9.1
WGAN-GP (2.5M)	8.22	28.8	20.6	5.4	4.3	3.7	7.7
DCGAN	6.20	49.7	41.8	3.5	2.4	9.9	20.8
PixelCNN++	6.27	143.4	141.9	4.8	27.5	8.5	25.9

Figure 3: Results on CIFAR100

res	model	IS	FID-5K	FID	GAN-train top-1	GAN-train top-5	GAN-test top-1	GAN-test top-5
64px	real images	63.8	15.6	2.9	55.0	78.8	-	-
	SNGAN	12.3	44.5	34.4	3	8.4	12.9	28.9
	WGAN-GP	11.3	46.7	35.8	0.1	0.7	0.1	0.5
128px	real images	203.2	17.4	3.0	59.1	81.9	-	-
	SNGAN*	35.3	44.9	33.2	9.3	21.9	39.5	63.4
	WGAN-GP	11.6	91.6	79.5	0.1	0.5	0.1	0.5

Figure 4: Results on ImageNet 1k

References I

Ian Goodfellow, Jean Pouget-Abadie, Mehdi Mirza, Bing Xu, David Warde-Farley, Sherjil Ozair, Aaron Courville, and Yoshua Bengio. Generative adversarial nets. *Advances in neural information processing systems*, 27, 2014.